Author Index to Volume 7

Ang, M. H., Jr., and Tourassis, V. D.: Robot Arm-Wrist Coordination. Part 1. Quantitative Rating, 167

Ang, M. H., Jr., and Tourassis, V. D.: Robot Arm-Wrist Coordination. Part 2. Design Guidelines, 181

Arimoto, S., see Noborio, H.

Beer, C. L., see Flachs, G. M.

Bejczy, A. K., see Fijany, A.

Bennis, F., see Khalil, W.

Berger, A. D., and Khosla, P. K.: The Modified Adaptive Hough Transform (MAHT), 277

Blackman, S. S., and Broida, T. J.: Multiple Sensor Data Association and Fusion in Aerospace Applications, 445

Broida, T. J., see Blackman, S. S.

Carlson, J. J., see Flachs, G. M.

Chen, Y.-C., and Vidyasagar, M.: Optimal Control of Robotic Manipulators in the Presence of Obstacles, 721

Colbaugh, R., see Seraji, N.

Davies, B. R., Red, W. E., and Lawson, J. S.: The Local Calibration Method for Robot Innaccuracy Compensation, 833

Dawson, D. M., Lewis, F. L., and Dorsey, J. F.: A Nominal Adaptive Controller for a Robot Manipulator, 865

Delpech, M., see Seraji, H.

Donath, M., see Nelson, B.

Dorsey, J. F., see Dawson, D. M.

Driels, M. R., and Pathre, U. S.: Significance of Observation Strategy on the Design of Robot Calibration Experiments, 197

Duffy, J.: Editorial: The Fallacy of Modern Hybrid Control Theory that is Based on "Orthogonal Complements" of Twist and Wrench Spaces, 139

Erkman, A. M., see Stephanou, H. E.

Fijany, A., and Bejczy, A. K.: An Efficient Algorithm for Computation of Manipulator Inertia Matrix, 57

Flachs, G. M., Jordan, J. B., Beer, C. L., Scott, D. R., and Carlson, J. J., 373

Fu, L.-C., and Liu, D.-Y.: An Efficient Algorithm for Finding a Collision-free Path Among Polyhedral Obstacles, 129

Gautier, M., see Khalil, W.

Goldenberg, A. A., see He, X.

Grupen, R., see Henderson, T. C.

Guo, Z. Y., see Hsia, T. C.

He, X., and Goldenberg, A. A.: An Algorithm for Efficient Computation of Dynamics of Robotic Manipulators, 689

Hemami, A., see Li, C.-J.

Henderson, T. C., and Grupen, R.: Logical Behaviors, 309

Hsia, T. C., Guo, Z. Y., and Li, L.: An Adaptive Scheme for Robot Joint Trajectory Generation, 881

Ji, Z., and Leu, M. C.: Inverse Kinematics of Calibrated Robots, 675

Jordon, J. B., see Flachs, G. M.

Kelley, R. B., Sood, D., and Repko, M. C.: Integrated Sensing for Circuit Board Insertion, 487

Kelmar, L., and Khosla, P. K.: Automatic Generation of Forward and Inverse Kinematics for a Reconfigurable Modular Manipulator System, 599
Khalil, W., Bennis, F., and Gautier, M.: The Use of the Generalized Links to Determine the Minimal Inertial Parameters of Robots, 225
Khosla, P. K., see Berger, A. D.
Khosla, P. K., see Kelmar, L.
Kim, J.-H., and Kumar, V. R.: Kinematics of Robot Manipulators via Line Transformations, 649
Kircanski, N., Timcenko, A., and Vukobratovic, M.: Position Control of Robot Manipulators with Elastic Joints using Force Feedback, 535
Kumar, V. R., see Kim, J.-H.

Lawson, J. S., see Davies, B. R.
Leahy, M. B., Jr.: Model-Based Control of Industrial Manipulators: An Experimental Analysis, 741
Lee, T., see Seraji, H.
Leu, M. C., see Ji, Z.
Lewis, F. L., see Dawson, D. M.
Li, C.-J., Hemami, A., and Sankar, T. S.: Effect of Inexact Inertial Parameters on Robot Manipulator System Performance, 703
Li, L., see Hsia, T. C.
Lin, L.-C., and Yuan, K.: Control of Flexible Joint Robots via External Linearization Approach, 1
Lin, Y.-J., and Song, S.-M.: A Comparative Study of Inverse Dynamics of Manipulators with Closed-Chain Geometry, 507
Liu, D.-Y., see Fu, L.-C.
Luo, R. C.: Special Issue on Multisensor Integration and Fusion for Intelligent Robots, 291
Luo, R. C., and Yang, W. S.: Motion Estimation of 3-D Objects using Multisensor Data Fusion, 419
Ma, K. S., see Mayorga, R. V.
Matsuno, F., and Sakawa, Y.: A. Simple Model of Flexible Manipulators with Six Axes and Vibration Control by Using Accelerometers, 575
Mayorga, R. V., Wong, A. K. C., and Ma, K. S.: An Efficient Local Approach for the Path Generation of Robot Manipulators, 23
Mayorga, R. V., and Wong, A. K. C.: A Global Approach for the Optimal Path Generation of Redundant Robot Manipulators, 107
McInroy, J. E., and Saridis, G. N.: Acceleration and Torque Feedback for Robotic Control: Experimental Results, 813

Naniwa, T., see Noborio, H.
Nelson, B., and Donath, M.: Optimizing the Location of Assembly Tasks in a Manipulator's Workspace, 791
Noborio, H., Naniwa, T., and Arimoto, S.: A. Quadtree-Based Path-Planning Algorithm for a Mobile Robot, 555
Novaković, Z. R.: Solving the Inverse Kinematics Problem via the Principle of Self-Support, 621

Pathre, U. S., see Driels, M. R.
Pau, L. F.: Behavioral Knowledge in Sensor/Data Fusion Systems, 295

Red, W. E., and see Davies, B. R.
Repko, M. C., see Kelley, R. B.

Sakawa, Y., see Matsuno, F.
Sankar, T. S., see Li, C.-J.
Saridis, G. N., see McInroy, J. E.
Scott, D. R., see Flachs, G. M.
Seraji, H., and Colbaugh, R.: Improved Configuration Control for Redundant Robots, 897

Seraji, H., Lee, T., and Delpech, M.: Experimental Study on Direct Adaptive Control of a PUMA 560 Industrial Robot, 81
Song, S.-M., see Zhang, C.-D.
Sood, D., see Kelley, R. B.
Speeter, T. H.: Control of the Utah/MIT Dextrous Hand: Hardware and Software Hierarchy, 759
Stephanou, H. E., and Erkman, A. M.: Model-Based Sensory Pattern Fusion, 395

Tarokh, M.: A Discrete-Time Adaptive Control Scheme for Robot Manipulators, 145
Thomopoulos, S. C. A.: Sensor Integration and Data Fusion, 337
Timcenko, A., see Kircanski, N.
Tourassis, V. D., see Ang, M. H., Jr.
Tourassis, V. D., see Ang, M. H., Jr.

Vidyasagar, M., see Chen, Y.-C.
Vukobratovic, M., see Kircanski, N.

Wong, A. K. C., see Mayorga, R. V.
Wong, A. K. C., see Mayorga, R. V.

Yang, W. S., see Luo, R. C.
Yuan, K., see Lin, L.-C.

Zhang, C.-D., and Song, S.-M.: Stability Analysis of Wave-Crab Gaits of a Quadruped, 243